

GioveRetto®



VANDYCK



European white oak floorboards with fully transparent paint finish craft.

**Wood is more than just a material,
it is a feeling. The beauty of our engineered
hardwood boards runs deeper
than the surface.**



Headquartered in China, GioveRetto has established itself as the world's leading manufacturer and supplier of high-quality engineered wood floors. Its portfolio includes the well-known brand VANDYCK USA, and since July 2025, the Southeast Asian production base VANDYCK Cambodia.

— WHO WE ARE



FLOORING – 2026

04 \	WHO WE ARE	38 \	PARQUETRY
08 \	OUR WORKSHOP	44 \	DESIGNING WITH FLOOR FORMATS
10 \	THE FORMATS AND SHAPES OF FLOOR	52 \	A CLOSER LOOK AT THE PRODUCT
14 \	DISCOVER OUR PRODUCTS	54 \	SUSTAINABILITY
16 \	PROGETTISTA COLLECTION	59 \	DESIGNED FOR THE LONG RUN
24 \	LUSSO COLLECTION	60 \	RECEPTION HALL
27 \	VILLA COLLECTION	62 \	ENGINEERED OAK GRADES
29 \	BELLA COLLECTION	64 \	PRODUCT CERTIFICATIONS
33 \	VITA COLLECTION	68 \	SURROUNDINGS
35 \	STELLA COLLECTION	72 \	CONTACT



HOGMAG Woodworking Machine



Hardwood Floors Manufactured With UV Coating Line

**“We are ruled
by passion
, style and
craftsmanship”**

27	1,300,000	92%	2008
COUNTRIES	TURNOVER	EXPORT	SINCE

GioveRetto is a privately owned Global wood flooring company driven by uniqueness, passion and a strong urge to explore new design styles and market trend.

GioveRetto floorboard meets the strong aesthetic and technical aspects of residential and commercial flooring. Create the workspace, kitchen, foyer or powder room of your dreams and walk the floor of luxury with the help and inspiration of us.

Utilizing automation and economy of scale, GioveRetto operates 2 manufacturing bases to add value to our wood floors, from veneer to raw and prefinished floorboards.

THE FORMATS AND STORIES OF FLOOR

The wide engineered formats of GioveRetto flooring and designed parquet gives you the freedom to choose bespoke products and design combinations, making your project truly unique. We offer designs that come in a variety of collections, letting you create hyper-personalized designs.

Designed Parquet





Swatch Samples Display

FLOORING

OUR ORIGIN

GioveRetto flooring product formats are available in planks, herringbone, chevron and parquet.

OUR VALUES

For GioveRetto, quality, trust and service must come first and we strive for this to be the most natural thing in the past 15 years.

DESIGN WITH WOOD

GioveRetto offers all things relating to natural wood. Short or long, narrow or wide, in neat rows or in creative patterns.

NATURALNESS AND SUSTAINABILITY

Approximately 5 percent of GioveRetto flooring is made of the FSC raw material wood. All the other raw materials that we receive from suppliers also undergo strict quality controls during purchasing and the production process.

OUR TEAM

GioveRetto team of experts are ready to assist you in choosing the right floor for your project. We've been in engineered flooring industry for decades, and we've got the experience & knowledge to prove it!

COLLABORATIONS

GioveRetto provides high-quality engineered wood flooring solutions for architecture. We manufacture high quality products for commercial, retail, healthcare, hospitality, residential and multi family residence, cooperating with renowned design houses all over the world.

CUSTOMISE SOLUTION

There are nearly endless design possibilities for creating and customising wood flooring solutions. We can meet most design requests and ideas. Contact our sales staff for information on customized solutions in addition to what is offered in the regular range.

FINISHES

LACQUER / OIL

Finland Teknos aluminum oxide water-based lacquer to give floor a durable and strong surface.

REACTIVE STAIN

Reactive stains employ selected chemicals that interact with the tannins, extractives, sugars or cellulose in the wood to change the color from within. It's a great way to create an aged look in wood.

BRUSH

Wire brushing process removes the pulp wood to make the wood grains highlighted.

HANDCRAFT

Handscrt features wood floors with natural characteristic look antiqued and distressed by hand tools.

SMOKE

Smoke involves putting the oak into ammonia atmosphere to get reaction of the Tannic Acid in the oak to get special colors.

MISCELLANEOUS

TONGUE & GROOVE

Germany Homag Machine crafted accurate milling makes tongue and groove wood flooring smooth, safe to work on barefoot and free of nails.

2G & 5G CLICK LOCK

2G & 5G Click lock makes wood floors installation easy for DIYERS or installation experts, it can also make the wood floors stable and more beautiful.

MEET OUR PRODUCTS

Good atmosphere starts with the right floor and beauty comes in many shapes and forms. The wide range of our wood floorings gives you the freedom to choose from and their remarkable versatility provides the space for creative possibilities from a feeling of familiar security, through modern naturalness to contemporary design or alpine chic. No matter which interior or living design you decide on, we have the right natural wood floors for you.

For more information about each article's properties, please see gioveretto.com

Herringbone & Chevron Patterns





Progettista

107

The art of life is to appreciate the beauty and always get creative inspiration from it, and quality is our eternal pursuit of life, and inheriting this quality needs to start from every piece of high quality floor under our feet.

Progettista Collection: 107 Oak, 6.23' x 7-1/2" x 1/2" mm, Character grade



Progettista Collection: 108 Oak, 74.81" x 7-1/2" x 5/8" mm

25
YEARS
WARRANTY

Reactive stains is made by the certain chemical reaction with using some Acidi/Alkaline reagent and the Tannic Acid in Oak. The color of the Oak floor will get subtle changing from the inside of the wood and since the different volume of Tannic Acid in each piece of Oak, the color shades of the floor gets natural & unique.

PROGETTISTA Collection

EUROPEAN OAK




107

EUROPEAN OAK




108

EUROPEAN OAK




109

EUROPEAN OAK



110

EUROPEAN OAK




111

EUROPEAN OAK



112



Progettista

111

The art of life is to appreciate the beauty and always get creative inspiration from it, and quality is our eternal pursuit of life, and inheriting this quality needs to start from every piece of high quality floor under our feet.



Lusso Collection: 226 Oak, 74.81" x 7-1/2" x 5/8" mm

25
YEARS
WARRANTY

The parquet floor is a powerful element that binds the design together". It carries the history of the house forward and, at the same time, it serves as the perfect stage for our modern interiors. Subtle hues of the natural wood are reflected in Natural Vintage with each texture bringing out the grain color design. Excellent choice when looking to capture perfect color shades of natural wood floors.

LUSSO Collection

EUROPEAN OAK




207

EUROPEAN OAK



209

EUROPEAN OAK



215

EUROPEAN OAK



218

LUSSO Collection

EUROPEAN OAK



219

EUROPEAN OAK



231

EUROPEAN OAK



228

EUROPEAN OAK



225

EUROPEAN OAK



226

EUROPEAN OAK



227

EUROPEAN OAK



220

EUROPEAN OAK



206

EUROPEAN OAK



205

EUROPEAN OAK



224



Villa Collection: 304 Oak, 86.61" x 8.66" x 5/8" mm

25
YEARS
WARRANTY

We work with natural materials as often as we can. They are durable, they have a soul, and as they age, they take on a special character. For us, that is what sustainability is all about. With warm radiance, fine colour play and unmistakable grain, oak brings personality into your home.

VILLA Collection

EUROPEAN OAK



304

EUROPEAN OAK




305

EUROPEAN OAK



306

EUROPEAN OAK



307

EUROPEAN OAK



301



Bella Collection: 517 Oak Chevron, 25.20"x5" x 5/8" mm


BELLA Collection

EUROPEAN OAK



501

AMERICAN WALNUT



502

EUROPEAN OAK




504

EUROPEAN OAK



505

EUROPEAN OAK



515

EUROPEAN OAK



516

**BELLA**

526

At Bella, the herringbone pattern emphasises the mansion's classic charm, while the large dimensions of the planks introduce a stylishly modern touch.

Bella Collection: 517 Oak Chevron, 25.20"x5" x 5/8" mm



Vita Collection: 517 Oak Chevron, 25.20"x5" x 5/8" mm

25
YEARS
WARRANTY

Imagine basking in the warm glow of another time and place. A curated aesthetic; grainy, earthy, and characterful, reminiscent of well-appointed whisky bars and charming farmhouses. VITA Collection is designed to evoke the warmth of a time gone by with modern engineering to meet modern demands.

VITA Collection

EUROPEAN OAK



603

EUROPEAN OAK



604

EUROPEAN OAK



605

EUROPEAN OAK



606

EUROPEAN OAK



607

EUROPEAN OAK



608




Stella Collection: 517 Oak Chevron, 25.20"x5" x 5/8" mm

25
YEARS
WARRANTY

Architects and designers not only shape where we live and work, but how we do so. Our Stella Collection sets the foundation from which interiors grow and evolve into extraordinary places to be in. At the intersection of materiality, thoughtful design, and obsession with detail, our Stella Collection is all about finding balance beyond fashion and time.

STELLA Collection

EUROPEAN OAK



803

EUROPEAN OAK




804

EUROPEAN OAK



805

EUROPEAN OAK




806

EUROPEAN OAK



807

EUROPEAN OAK



809



Stella Collection: 517 Oak Chevron, 25.20"x5" x 5/8" mm

STELLA Collection

EUROPEAN OAK



815

EUROPEAN OAK



816

EUROPEAN OAK



817

EUROPEAN OAK



8307

EUROPEAN OAK



831

EUROPEAN OAK



832



PARQUETRY

MAESTRO

While Seeking to be in line with the international creative design fashion and emphasizes on the leading innovation designs, we also specialized in production of Parquet Panels and Geometric Parquetry.

PARQUETRY Collection: Maestro: 24" x 22" x 5/8"



PARQUETRY Collection: Velato, 24" x 7.5" x 5/8"

25
YEARS
WARRANTY

Reactive stains is made by the certain chemical reaction with using some Acidi/Alkaline reagent and the Tannic Acid in Oak. The color of the Oak floor will get subtle changing from the inside of the wood and since the different volume of Tannic Acid in each piece of Oak, the color shades of the floor gets natural & unique.

PARQUETRY Collection

EUROPEAN OAK



Essenza

EUROPEAN OAK



Culla

AMERICAN WALNUT



Brezza

EUROPEAN OAK



Inverso



PARQUETRY

SHOWROOM


While Seeking to be in line with the international creative design fashion and emphasizes on the leading innovation designs, we also specialized in production of Parquet Panels and Geometric Parquetry.

DESIGNING WITH FLOOR FORMATS


We create and build wood flooring original formats, available in planks, chevron and herringbone, our floors also support customized solutions with Versailles panels, also providing various timber species of oak, walnut, teak, hickory, maple, so architects and interior designers can custom their projects through devising our floors specifications.




PLANK



60° CHEVRON



CHEVRON



HERRINGBONE



AT A GLANCE DIMENSION

The lengths of the floor boards you choose for your room will have a big impact on the overall look of your floor. Longer plank lengths create a clean visual line because there are fewer end or butt seams/joints, and going with a wider plank, you are drawing attention to your floor and making this a showpiece throughout your entire space.

THE LENGTH

We supply length: 450 mm, 490 mm, 510 mm, 540 mm, 600 mm, 720 mm, 900 mm, 910 mm, 1200 mm, 1500 mm, 1600 mm, 1860 mm, 1900 mm, 2200 mm. 5500 mm is also available.

THE WIDTH


We supply width: 70 mm, 90 mm, 100 mm, 125 mm, 148 mm, 150 mm, 178 mm, 190 mm, 200 mm, 220 mm, 240 mm, 260 mm, 300 mm, 400 mm, 450 mm are also available.

For smaller rooms, opt for narrow, short boards. For larger spaces, wider and longer boards are the way to go. The direction also affects the end result. If you lay out your boards lengthwise, your room looks bigger.

* Options available vary on actual demand, contact our sales staff for more custom length and width.



1. Length from 450 mm to 600 mm. Suitable for creating a herringbone or chevron pattern in a smaller space.
- 1-2. Length from 490 mm to 900 mm. Suitable for creating a herringbone or chevron pattern in a smaller space.
- 2-3. Length from 900 mm to 1200 mm. Suitable for herringbone and strip floors.
- 3-5. Length from 1200 mm to 2200 mm. Suitable for plank floors.





Showroom With Smoked/Fumed Floorboards

PLANKS

Plank floorboards are suitable for the floors of restaurants, cafes, shared offices, and any other environment that can use a more homely appearance.

DIMENSION	LAMELLA	GRADE
1900*220*15/4 mm	SAWN CUT	ABCD
1900*220*20/6 mm	SAWN CUT	ABCD
1900*220*21/4 mm	SAWN CUT	ABCD
1900*240*14/3 mm	SAWN CUT	ABC
1900*240*14/4 mm	SAWN CUT	AB
1900*240*20/6 mm	SAWN CUT	ABCD
1900*300*18/4 mm	SAWN CUT	AB / ABC
2200*190*20/6 mm	SAWN CUT	ABC / ABCD
2200*220*14/3 mm	SAWN CUT	AB / CDE
2200*220*14/4 mm	SAWN CUT	AB / RUSTIC
2200*220*15/4 mm	SAWN CUT	AB / ABC / ABCD / CDE
2200*220*20/6 mm	SAWN CUT	ABC / ABCD
2200*220*21/6 mm	SAWN CUT	ABC / DEF
2200*240*15/4 mm	SAWN CUT	AB / ABCD / CDE
2200*240*20/6 mm	SAWN CUT	ABC
2200*240*21/6 mm	SAWN CUT	CDE
2200*260*15/4 mm	SAWN CUT	ABCD
2200*260*19/4 mm	SAWN CUT	AB / CD
2200*260*20/4 mm	SAWN CUT	ABC
2200*260*20/6 mm	SAWN CUT	ABC / ABCD
2200*260*21/4 mm	SAWN CUT	ABCD
2200*260*21/6 mm	SAWN CUT	AB / DEF
2200*300*15/4 mm	SAWN CUT	ABCD / CDE
2200*300*16/4 mm	SAWN CUT	ABC
2200*300*18/4 mm	SAWN CUT	ABC / ABCD
2200*300*20/4 mm	SAWN CUT	AB / ABCD

Contact us for more our specifications about planks on gioveretto.com

HERRINGBONE

Do you know why people love herringbone flooring? It is a unique floor design that can add depth and aesthetic value to your rooms.

DIMENSION	LAMELLA	GRADE
450*90*14/3 mm	SAWN CUT	ABC
490*70*10/3 mm	SAWN CUT	AB
540*90*13/4 mm	SAWN CUT	ABCD
600*90*10/2 mm	SLICE CUT	AB
900*150*12/3 mm	SAWN CUT	ABC
910*125*14/3 mm	SAWN CUT	AB
Contact us for more our specifications about herringbone on gioveretto.com		

CHEVRON

Chevron floorboards looks good whether you use it for a business or home because it makes every environment more aesthetically pleasing to the eye.

DIMENSION	LAMELLA	GRADE
490*70*14/3 mm	SAWN CUT	CDE
510*90*10/3 mm	SAWN CUT	AB
510*90*15/4 mm	SAWN CUT	ABC
540*70*14/3 mm	SAWN CUT	AB
600*90*14/3 mm	SAWN CUT	ABC
620*90*11/3 mm	SAWN CUT	AB
720*125*10/3 mm	SAWN CUT	ABC
770*125*15/4 mm	SAWN CUT	ABCD
Contact us for more our specifications about chevron on gioveretto.com		

PLANKS

Plank floorboards are suitable for the floors of restaurants, cafes, shared offices, and any other environment that can use a more homely appearance.

DIMENSION	LAMELLA	GRADE
1200*125*10/2 mm	SLICE CUT	AB / ABC
1500*300*16/4 mm	SAWN CUT	ABC
1600*300*16/4 mm	SAWN CUT	ABC
1860*148*14/3 mm	SAWN CUT	ABC
1860*150*10/3 mm	SAWN CUT	CD
1900*100*18/4 mm	SAWN CUT	AB
1900*125*14/3 mm	SAWN CUT	ABC
1900*148*10/2 mm	SLICE CUT	CDE
1900*150*12/2 mm	SLICE CUT	ABC
1900*178*14/3 mm	SAWN CUT	ABC
1900*190*12/2 mm	SLICE CUT	AB / CD / CDE
1900*190*19/3 mm	SAWN CUT	AB / ABC
1900*190*19/4 mm	SAWN CUT	ABCD
1900*190*20/4 mm	SAWN CUT	ABCD
1900*190*20/6 mm	SAWN CUT	AB / ABCD / CD
1900*190*21/4 mm	SAWN CUT	ABCD
1900*200*18/4 mm	SAWN CUT	AB
1900*220*14/4 mm	SAWN CUT	AB / ABC
Contact us for more our specifications about planks on gioveretto.com		

A CLOSER LOOK AT THE PRODUCT

GioveRetto wood flooring is composed of 2 layers, top veneer and multi layers plywood support lamella, giving the product its stable and moisture resistant qualities. Veneer is consisted of solid hardwoods of oak, walnut, teak, maple, hickory etc. Plywood is made of eucalyptus and russian birch resistant to moisture. Defeacts of lamella combinate coating techniques give GioveRetto floorboards vast design alternatives.

LAMELLA / VENEER

The floor veneer is a thin layer of hardwood that together with the plywood forms the multi-layer engineered wood flooring. The main kinds of solid hardwood used for GioveRetto floor products: Oak, Walnut, Teak, ASH, Hickory, Maple and Austrlian Timbers.

WOOD SPECIES

European oak, russian oak, hickory and maples are the most popular species used on planks, cheveron, herringbone.

WOOD GRADE

Oak can be classified as A, B,C, D, E and F grades with different defects.

AB grade - prime grade comes with clean and clear surface. ABCD also called "Natuall Grade" is among the most common grades available, you can see it everywhere!



THE PLYWOOD

GioveRetto imports E0 and F4 standard of eucalyptus and birch plywood from China and Baltic sea countries. For each layer of the plywood runs in a different direction creating a grid of reinforcement to prevent the wood from moving and make floors more resistant to the warping and damage.

THE HOT / COLD PRESS

AT GioveRetto, we use both hot and cold press crafts to glue lamella and plywood. Glued floor boards will get glued under pressure of 800 ton for 45 minutes.

The adhesive of Franklin REACTITE EP925 allows GioveRetto to create a sustainable and environmentally wooden flooring products, also making the wood flooring more stable and durable.



LAYERS / CONSTRUCTURE

1. Top coat - Protective finishes. 13 layers of UV cured lacquer or 3 layers of Hardwat Oil with brands of Sherwin-Williams and TEKNOS.
2. Top layer 1.2mm(slice cut), 2mm(slice cut), 3mm, 4mm, 5mm(5.5mm), 6mm with sawn cut.
3. Support backing layer. 7-11 layers (11-15mm) water resistant eucalyptus or birch plywood.
4. Underfloor heating: cross cutting from the bottom for plywood backing.



SUSTAINABILITY

NOBLE STRONG NATURAL

We're committed to reducing our impact on the environment with our products and processes. We responsibly source our wood from FSC and sustainable plantations, and use environmentally conscious manufacturing processes to ensure that our floors are produced sustainably.

Our mission is to bring our clients closer to nature with our natural, renewable building materials and we invest more time to get an authentic wood product that people will appreciate and even cherish for decades to come.



PRODUCTION

All our floorboards are manufactured in China. The way from tree trunk to round timber to finished engineered wood flooring is long, but well thought out.

KILN DRY

Sorted oak veneers are stacked together for moisture balance treatment in kilns for 7 days, together with certain required size birch and eucalyptus plywood.

OAK SURFACE REPAIRING


Knots and cracking on the surface of floor boards are filled and repaired with 8 shades of epoxy resin.

T & G PROFILING

Tongue & groove profiling and edge treatment: precision & micro-bevel are achieved through Germany Homag working line so that the floors can be laid together quickly and without difficulty at the construction site.

UV LACQUER & UV OIL

UV Lacquer & Oil Coating, unfinished flooring get UV Lacquer / Oil Coating finish on coating line with 7 layer (5+2) Germany Treffert/Sherwin-Williams UV coating prefinished, or Demark Woca Natural Oil finish.





European Oak Trunk

DESIGNED FOR THE LONG RUN

The protective finish of our flooring provides its impressive durability qualities. The coating layer is made from 7/11 layers of UV hardened lacquer or 3 layers of UV hardened Oil, creating the characteristic wood look and the flooring's resilience. The backing layers enhance the product performance, adding stability and improving its imperviousness.

SUITABLE FOR COMMERCIAL ENVIRONMENTS

Golink flooring is durable and stable, following ISO 17959 standard. It is suitable for both commercial and residential settings been tried and tested for more than 20 years.

LONG SERVICE LIFE

Golink flooring retains its appearance without deformation, making it a perfect solution for highintensity commercial environments. Our products are designed and produced to last throughout their long service lives.

WARRANTY

All Golink planks, chevron and herringbone floors come with a 25-year warranty.

MOISTURE RESISTANCE

Golink flooring is moisture resistant and maintain dimensional stability when exposed to high humidity and changes in humidity. However, it shall not be used in areas like bathrooms.

FIRE RATING

Our flooring complies with the requirements in the European standard EN 13501-1 (fire classification of construction products) and has achieved the standard rating. This classification is called CflS1 and includes both fire and smoke production.

SHOWROOM

Reception Hall

Huzhou, China



ABOUT:

Visit our wonderful showroom world. Let yourself be inspired by the impressive variety of products and the tasteful ambience.

MAIN PRODUCTS:

Oak, Walnut, Hickory, Maple and Teak

ESTABLISHED

Since 2008

European Oak AB

AB Select grading, even growth pattern and small knots. Vertical and horizontal growth rings.

European Oak ABC

ABC grading with small to medium-sized knots, slight colour variance due to sapwood and heartwood.

European Oak ABCD

ABCD - Rich structure and growth pattern, larger knots and sapwood, broad spectrum of colours.

EUROPEAN OAK GRADINGS

Known for its unparalleled durability, our European oak flooring is available in 4 gorgeous grades - From the pristine elegance of AB - Prime grade to the rustic charm of classical grade - ranging from knotted to sleek, knot-free planks — and everything in between — you can choose the grade that's right for your design, each selection imbues a distinctive personality.

AB Grade - Prime

A smooth, uninterrupted grain with no visible knots, our Prime European oak flooring is a great choice for minimalists and modern spaces.

CDE Grade - Rustic

The characteristic knots give our Classical oak flooring soul and rustic charm that's second to none. Rich and warm, this style brings the best of nature's handiwork to your interiors.

ABC Grade - Select

Minimal sound knots bring a touch of the signature oak texture you know and love while maintaining a long, subtle grain that fits in any space.

ABCD Grade - Natural

Small knots throughout bring character and depth to your floors. Warm and cozy, our Natural oak grade flooring speaks of time-honored interiors and effortless style.



PRODUCT CERTIFICATIONS

Our products are covered some of the industry’s most demanding certifications for buildings. This means they can be used with complete peace of mind for their entire lifetime. These third-party verified certifications are one way of demonstrating and communicating the product quality. Because our products cover many countries, we have many certificates for different markets.

FOR FULL PRODUCT SPECIFICATION AND CERTIFICATIONS:



FACTORY TOUR

Teknos Finland

Helsinki, Finland

**ABOUT:**

Visit our wonderful showroom world. Let yourself be inspired by the impressive variety of products and the tasteful ambience.

MAIN PRODUCTS:

Oak, Walnut, Hickory, Maple and Teak

LOCATION:

Huzhou, China

PORT:

Shanghai, Lianyungang

SURROUNDINGS

Ditang River

Nanxun, Huzhou

**ABOUT:**

Ditang River is the main waterway connecting Huzhou Nanxun with Shanghai, Suzhou, Jiaxing and other places. The old Ditang River has witnessed the glorious history of the silk industry represented by Nanxun Jili Lake Silk moving towards Shanghai and then to the world.

LOCATION:

Huzhou, China

PORT:

Shanghai, Lianyungang

RAW MATERIAL

Birch Plywood

Koh Kong, Cambodia

**ABOUT:**

Birch plywood, with its diverse applications in furniture, cabinetry, and structural uses, continues to be a reliable and widely-used material. Its strength, flexibility, and neutral aesthetic contribute to its enduring popularity.

LOCATION:

Srae Ambel, Cambodia

PORT:

Sihanoukville, Preah Sihanouk



HEJ, CONTACT US!

We are flooring brand in from China and USA - but we reach out and send our products global. With customers across 27 countries, we can help you with our support & service.

To ensure you receive the best support and service from us, please contact us through our service email or telephone.

As well as providing sales assistance, some of our local partners can offer integrated solutions for installation and maintenance.

Please visit gioveretto.com for more our product specifications.